

Pre-Harvest and Re-Entry Intervals - Insecticides & Miticides

Trade Name(s)	Active Ingredient	Registration Number ¹	Pre-Harvest Intervals (days)								Re-entry Interval (label) ²
			Apple	Apricot	Sweet Cherry	Sour Cherry	Peach	Nectarine	Pear	Prune Plum	
Acramite 50WS	bifenazate	27925	7	7	7	7	7	7	X	7	12 h
Actara 25WG	thiamethoxam	28408	60	X	14	14	X	X	60	X	12 h
Admire 240	imidacloprid	24094	7	7	7	7	7	7	7	7	24 h
Agri-Mek SC [Ⓜ]	abamectin	31607	28	X	X	X	X	X	28	X	12 h
Alias 240 SC	imidacloprid	28475	7	X	10	10	7	7	X	X	24 h
Altacor	chlorantraniliprole	28981	5	1	1	1	1	1	5	1	12 h
Apollo SC	clofentezine	21035	21	X	X	X	21	21	21	X	12 h
Assail 70 WP	acetamiprid	27128	7	X	7	7	X	X	7	X	12 h - 6 days
Beleaf	flonicamid	29796	21	14	14	14	14	14	21	14	12-48 h
Bioprotec CAF	<i>Bacillus thuringiensis</i>	26854	0	0	0	0	0	X	0	0	24 h*
Calypso 480	thiacloprid	28429	30	X	X	X	X	X	30	X	12 h
Carzol [Ⓜ]	formetanate hydrochloride	29991	X	X	X	X	X	Do not apply after petal fall	X	X	12-19 days
Closer	sulfoxaflor	30826	7	7	7	7	7	7	7	7	12 h
Clutch 50 WDG	clothianidin	29382	7	7	7	7	7	7	7	7	12 h
Confirm	tebufenozide	24503	14	X	X	X	X	X	14	X	dry ³ -12 h
CYD-X	granulovirus	30120	0	X	X	X	X	X	X	X	24 h*
Cygon 480	dimethoate	25651	X	X	21	21	X	X	28	X	12 h – 28 days
Decis 5EC [Ⓜ]	deltamethrin	22478	1	X	X	X	1	X	7	X	48 h*
Delegate	spinetoram	28778	7	3	5	5	1	1	7	3	12 h
Dipel 2XDF	<i>Bacillus thuringiensis</i>	26508	0	0	0	0	0	X	0	0	24 h*
Dipel WP	<i>Bacillus thuringiensis</i>	11252	0	0	0	0	0	X	0	0	24 h*
Entrust 80W	spinosad	27825	7	14	7	7	14	14	7	7	dry ³
Entrust 240 g/L		30382									
Envidor	spirodiclofen	28051	7	7	7	7	7	7	7	X	12 h
Exirel	cyantraniliprole	30895	3	3	3	3	3	3	3	3	12 h
Foray 48B	<i>Bacillus thuringiensis</i>	24978	0	X	X	X	X	X	0	X	24 h*
GF-120	spinosad	28336	0	X	0	0	X	X	X	X	dry ³
Guardsman Dormant Spray Oil	mineral oil	23370	Registered on all tree fruits except nectarine; use dormant or prebloom as per label								12 h
Imidan 70%	phosmet	29064	14	X	X	7	14	X	14	14	3-7 days
Intrepid 240F	methoxyfenozide	27786	14	7	7	7	14	14	X	7	12 h
Isomate C-Plus	pheromones	22899	n/a	n/a	X	X	X	X	X	X	n/a

Pre-Harvest and Re-Entry Intervals - Insecticides & Miticides

Trade Name(s)	Active Ingredient	Registration Number ¹	Pre-Harvest Intervals (days)								Re-entry Interval (label) ²
			Apple	Apricot	Sweet Cherry	Sour Cherry	Peach	Nectarine	Pear	Prune Plum	
Isomate CM/LR/TT	pheromones	28814	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Isomate P	pheromones	27141	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Kanemite	acequinocyl	28641	14	X	X	X	X	X	14	X	12 h
Lagon 480	dimethoate	9382	X	X	21	21	X	X	28	X	12 h – 28 days
Lime Sulphur	calcium polysulfide	16465	0	X	dormant	dormant	0	X	0	dormant	48 h
Mako	cypermethrin	30316	7	X	X	X	7	7	7	X	12 h
Malathion 85E	malathion	8372	3	7	3	3	7	7	3	3	12 h – 3 days
Movento 240	spirotetramat	28953	7	7	7	7	7	7	7	7	12 h
Nealta Miticide	cyflumetofen	31284	7	X	X	X	X	X	7	X	12 h
Nexter	pyridaben	25135	25	X	7	7	X	X	25	X	24 h
Opal Insecticidal Soap	soap	28146	0	0	0	0	0	0	0	0	24 h*
Purespray Green	mineral oil	27666	0	0	0	0	0	0	0	0	12 h
Rimon 10EC	novaluron	28515	14	14	14	14	14	14	X	14	12 h
Ripcord 400EC	cypermethrin	15738	7	X	X	X	7	7	7	X	12 h
Safer's Soap	soap	14669	0	0	0	0	0	0	0	0	24 h*
Success 480	spinosad	26835	7	14	7	7	14	14	7	7	dry ³
Sivanto Prime	flupyradifurone	31452	14	14	14	14	14	14	14	14	12 h
Superior Oil 70	mineral oil	14981	apple, pear, apricot, peach, plum, sour cherry; use dormant or prebloom as per label								12 h
Surround WP	kaolin	27469	0	0	0	0	0	0	0	0	24 h*
TwinGuard	sulfoxaflor + spinetoram	31442	7	7	7	7	7	7	7	7	12 h
Virosoft	granulovirus	26533	0	X	X	X	X	X	X	X	24 h*
Vydate ♂	oxamyl	17995	non-bearing apple only								12 h – 32 days

X Not registered or not recommended. n/a Not applicable

¹ Pest Control Products Act Registration Number, which is shown on the product label.

² Re-entry interval on the product label (see p. 13-3). Re-entry time may vary by activity and crop; refer to label for details. An asterisk(*) indicates that no re-entry is shown on the label, but the WorkSafe BC re-entry interval may apply and is shown.

³ Workers should not enter treated areas until the residues have dried

Pre-Harvest and Re-Entry Intervals – Fungicides (days)

Trade Name(s)	Active Ingredient	Registration Number ¹	Pre-Harvest Intervals (days)								Re-entry Interval (label) ²
			Apple	Apricot	Sweet Cherry	Sour Cherry	Peach	Nectarine	Pear	Prune Plum	
Aliette WDG	fosetyl al	27688	30	X	X	X	X	X	X	X	dry ³
Allegro 500F	fluazinam	27517	28	X	X	X	X	X	X	X	24 h – 3 days
Aprovia	benzovindiflupyr	31981	30	X	X	X	X	X	30	X	12 h
Aprovia Top	benzovindiflupyr + difenoconazole	31526	30	X	X	X	X	X	30	X	12 h
Bloomtime Biological	<i>Pantoea agglomerans</i>	28436	bloom	X	X	X	X	X	bloom	X	4 h
Blossom Protect	<i>Aureobasidium pullulans</i>	30552	bloom	X	X	X	X	X	bloom	X	dry ³
Bravo 500	chlorothalonil	15723	X	X	40	40	60	60	X	X	48 h
Cabrio EG	pyraclostrobin	27323	X	10	10	10	10	10	X	10	12 h – 9 days
Cantus WDG	boscalid	30141	X	0	0	0	0	0	X	0	12 h
Captan Supra 80WDG	captan	24613	7	2	2	5	2	2	7	2	48 h
Copper oxychloride Copper Spray	copper oxychloride	13245 19146	Apple, pear, peach, apricot, cherry – follow timing on label								48 h
Copper 53W	copper sulphate	9934	30	post-harvest	X	2	post-harvest		bloom	X	48 h
Cosavet DF Edge	sulphur	31869	1	X	1	1	1	X	1	1	24 h
Cueva	copper octanoate	31825	1	1	1	1	1	1	1	1	4 h
Dithane Rainshield	mancozeb	20553	45	X	X	X	X	X	X	X	24 h*
Double Nickel 55	<i>Bacillus amyloliquefaciens</i>	31888	0	X	X	X	X	X	0	X	dry ³
Elevate 50WDG	fenhexamid	25900	X	X	1	1	1	1	X	X	4 h
Equal 65W	dodine	15608	7	X	7	7	X	X	7	X	48 h
Ferbam 76W	ferbam	20136	7	21	4	4	21	X	7	7	dry ³
Flint 50WG	trifloxystrobin	30619	14	1	1	1	1	1	14	1	12 h – 4 days
Fontelis	penthiopyrad	30331	28	0	0	0	0	0	28	0	12 h
Fracture	BLAD polypeptide	32139	X	0	0	0	0	0	X	0	24 h*
Fullback 125	flutriafol	31679	14	X	X	X	X	X	X	X	12 h
Funginex	triforine	27686	Peaches, cherries, prunes, plums; do not apply after blossom								48 h
Granuflo-T	thiram	30548	28	X	X	X	7	X	X	dormant	24 h
Indar 75WSP	fenbuconazole	27294	X	1	1	1	1	1	X	1	12 h
Inspire Super	difenoconazole + cyprodinil	30827	14	X	X	X	X	X	14	X	12 h
Jade	propiconazole	24030	X	3	3	3	3	3	X	3	3 days
Kasumin	kasugamycin	30591	90	X	30	30	X	X	90	X	12 h
Kumulus DF	sulphur	18836	1	X	1	1	1	X	1	1	24 h

Pre-Harvest and Re-Entry Intervals – Fungicides (days)

Trade Name(s)	Active Ingredient	Registration Number ¹	Pre-Harvest Intervals (days)								Re-entry Interval (label) ²
			Apple	Apricot	Sweet Cherry	Sour Cherry	Peach	Nectarine	Pear	Prune Plum	
Lime sulphur	calcium polysulfide	16465	0	X	dormant	dormant	0	X	0	dormant	48 h
Luna Tranquility	fluopyram + pyrimethanil	30510	14	X	X	X	X	X	72	X	12 h
Maestro 80DF	captan	26408	7	2	2	5	2	X	7	2	48 h
Manzate Prostick	mancozeb	28217	45	X	X	X	X	X	X	X	24 h
Microthiol Disperss	sulphur	29487	1	X	1	1	1	X	1	1	24 h
Milstop	potassium bicarbonate	28095	X	0	X	X	0	0	X	0	4 h
Nova 40WP	myclobutanil	22399	14	X	1	1	1	1	14	X	12 h – 12 days
Phostrol	phosphites	30449	0	X	X	X	X	X	0	X	12 h
Polyram DF	metiram	20087	45	X	X	X	X	X	X	X	24 h*
Pristine WG	boscalid + pyraclostrobin	27985	5	0	0	0	0	0	5	0	dry ³ – 12 days
Purespray Green	mineral oil	27666	0	0	0	0	0	0	0	0	12 h
Quintec	quinoxifen	29755	X	7	7	7	7	7	X	7	12 h
Ridomil Gold 480	metalaxyl	25384	non-bearing	X	X	X	X	X	X	X	12 h
Rovral WP	iprodione	15213	X	1	1	1	1	X	X	1	12 h
Scala SC	pyrimethanil	28011	14	X	X	X	X	X	72	X	12 h – 24 h
Senator 50SC	thiophanate-methyl	32096	1	X	1	1	1	1	1	1	24 h*
Sercadis	fluxapyroxad	31697	0	0	0	0	0	0	0	0	12 h
Serenade Max	<i>Bacillus subtilis</i>	28549	0	0	0	0	0	0	0	0	24 h*
Serenade Opti	<i>Bacillus subtilis</i>	31666	0	0	0	0	0	0	0	0	24 h*
Sovran	kresoxim-methyl	26257	30	X	X	X	X	X	30	X	48 h
Streptomycin 17	streptomycin	10305	50	X	X	X	X	X	30	X	24 h – 14 days
Syllit	dodine	28351	7	X	X	X	X	X	7	X	48 h
Tilt 250E	propiconazole	19346	X	3	3	3	3	3	X	3	3 days
Topas 250EC	propiconazole	30163	X	3	3	3	3	3	X	3	3 days
Vanguard 75 WG	cyprodinil	25509	0	2	X	X	2	2	X	2	12 h – 3 days
Vivando SC	metrafenone	29765	7	X	7	7	7	7	7	X	12 h
Ziram 85WP	ziram	29140	14	30	X	X	30	X	X	X	12 h

X Not registered or not recommended. n/a Not applicable

¹ Pest Control Products Act Registration Number, which is shown on the product label.

² Re-entry interval on the product label (see p. 13-3). Re-entry time may vary by activity and crop; refer to label for details. An asterisk(*) indicates that no re-entry is shown on the label, but the WorkSafe BC re-entry interval may apply and is shown.

³ Workers should not enter treated areas until the residues have dried

Pre-Harvest and Re-Entry Intervals – Herbicides (days)

Trade Name(s)	Active Ingredient	Registration Number ¹	Pre-Harvest Intervals (days)								Re-entry Interval (label) ²
			Apple	Apricot	Sweet Cherry	Sour Cherry	Peach	Nectarine	Pear	Prune Plum	
2,4-D Amine	2,4-D	5931	80	80	80	80	80	X	80	80	dry ³
Aim	carfentrazone	28573	3	3	3	3	3	3	3	3	12 h
Alion	indaziflam	30451	14	14	14	14	14	14	14	14	12 h
Authority 480	sulfentrazone	29012	14	X	X	X	X	X	X	X	12 h
Basagran	bentazon	12221	apple, apricot, cherry, peach, pear, nectarine: newly planted non-bearing trees								12 h
Casoron	dichlobenil	12533	0	X	0	0	0	X	0	0	24 h
Centurion	clethodim	27598	X	X	14	14	X	X	X	X	12 h
Chateau	flumioxazin	29231	60	60	60	60	60	60	60	60	12 h
Credit Xtreme	glyphosate	29888	30	30	30	30	30	X	30	30	12 h
Crush'R 480	glyphosate	32181	30	30	30	30	30	X	30	30	12 h
Crush'R 540	glyphosate	31655	30	30	30	30	30	X	30	30	12 h
Dual II Magnum	metolachlor	25729	apple, apricot, cherry, pear, plum: apply in spring only								12 h
Gramoxone Ⓜ	paraquat	8661	1	1	1	1	1	X	1	1	24 h
Ignite	glufosinate	23180	40	X	14	14	40	40	40	40	12 h
Lontrel	clopyralid	23545	30	X	X	X	X	X	X	X	12 h
Matrix	glyphosate	29775	30	30	30	30	30	X	30	30	
Poast Ultra	sethoxydim	24835	30	X	X	X	30	X	30	X	12 h
Princep Nine-T	simazine	16370	apple, apricot, cherry, peach, pear, plum: apply in spring. See label.								12 h
Prowl H2O	pendimethalin	29542	apple, peach, cherry, nectarine, apricot: apply in spring only								24 h
Roundup Transorb Roundup Weathermax	glyphosate	28198 27487	30	30	30	30	30	X	30	30	12 h
Sandea	halosulfuron	31209	14	X	X	X	X	X	X	X	12 h
Select	clethodim	22625	X	X	14	14	X	X	X	X	12 h
Sencor 75DF	metribuzin	20968	60	60	60	60	60	X	60	60	12 h
Simadex	simazine	15902	apple, pear: apply in spring only. See label.								12 h
Simazine 480	simazine	23181	apple, pear: apply in spring only. See label.								12 h
Sinbar	terbacil	10628	Apple, cherry and peach, spring application								12 h
TriCor 75DF	metribuzin	30661	apple, apricot, peach, pear, plum and sweet and sour cherry; see label								12 h
Vantage Plus	glyphosate	26171	30	30	30	30	30	X	30	30	12 h
Venture L	fluazifop-p-butyl	21209	apple, pear, peach, cherry, apricot, plum: one banded application per year								12 h

X Not registered or not recommended. n/a Not applicable

¹ Pest Control Products Act Registration Number, which is shown on the product label.

² Re-entry interval on the product label (see p. 13-3). Re-entry time may vary by activity and crop; refer to label for details. An asterisk(*) indicates that no re-entry is shown on the label, but the WorkSafe BC re-entry interval may apply and is shown.

³ Workers should not enter treated areas until the residues have dried

Pre-Harvest and Re-Entry Intervals – Growth Regulators (days)

Trade Name(s)	Active Ingredient	Registration Number ¹	Pre-Harvest Intervals (days)							Re-entry Interval (label) ²
			Apple	Apricot	Sweet Cherry	Sour Cherry	Peach/Nectarine	Pear	Prune Plum	
Amid-Thin	1-naphthalene-acetamide	13167	apple, pear: apply according to label							24 h*
Activol	gibberellic acid	11904	X	X	21	21	X	X	X	12 h
Apogee	prohexadione calcium	28042	45	X	20	20	X	X	X	12 h
Cilis Plus	benzylaminopurine	29210	28	X	X	X	X	28	X	12 h
Ethrel	ethephon	11580	apple, cherry: apply according to label							48 h
Fruit-Fix	NAA	16027	5	X	X	X	X	X	X	24 h*
Fruitone N	NAA	14630	5	X	X	X	X	X	X	dry ³
FruitSize	gibberellic acid	2009001A ⁴	X	X	21	X	X	X	X	12 h
Gro-Spurt	gibberellic acid	2013039A ⁴	X	X	21	21	X	X	X	12 h
MaxCel	6-benzyladenine	28851	86	X	X	X	X	X	X	12 h
Novagib	gibberellins	30403	28	X	X	X	X	X	X	12 h
Perlan	GA+benzylaminopurine	29187	28	X	X	X	X	X	X	12 h
ProGibb	gibberellic acid	29359	X	X	21	21	X	X	X	12 h
Promalin	GA+benzyladenine	16636	28	X	X	X	X	X	X	12 h
Retain	AVG	25609	apple: apply 4 weeks before harvest							12 h
Sevin XLR	carbaryl	27876	75	X	X	X	X	X	X	12 h – 17 days

X Not registered or not recommended. n/a Not applicable

¹ Pest Control Products Act Registration Number, which is shown on the product label.

² Re-entry interval on the product label (see p. 13-3). Re-entry time may vary by activity and crop; refer to label for details. An asterisk(*) indicates that no re-entry is shown on the label, but the WorkSafe BC re-entry interval may apply and is shown.

³ Workers should not enter treated areas until the residues have dried

⁴ Registered under the Fertilizers Act

Updated March 2017